

**Please contact the Natural Resource Division at 952.988.8422 for an inspection once your erosion control and tree protection have been installed to avoid any delays in processing your permit.**

**Additional information about erosion control and tree protection is available on our website ([www.eminnetonka.com](http://www.eminnetonka.com)) under "Construction Projects" on the Natural Resources web page within the Public Works Department.**

**Thank you for your cooperation in helping to protect Minnetonka's valuable natural resources.**

## **City of Minnetonka**

**Public Works Department**  
11522 Minnetonka Boulevard  
Minnetonka, MN 55305  
(952) 988-8400 Fax (952) 988-8406

***EROSION CONTROL &  
TREE PROTECTION  
MUST BE INSTALLED  
AND INSPECTED  
BEFORE THE BUILDING  
PERMIT IS ISSUED***

**NATURAL RESOURCE  
REQUIREMENTS FOR  
BUILDING PERMITS**



The City of Minnetonka requires that adequate erosion control and tree protection be installed and inspected before a permit can be issued. Please indicate on your site plan the approximate locations where silt fence and tree protection fencing will be installed.

*Before permit is issued:*

- Silt fence must be trenched or sliced (4 to 6 inches deep) in the approved locations shown on the site plan.
- Tree protection fencing must be installed in the approved locations to protect significant trees on the subject property and along adjacent lot boundaries.
- Inlet protection must be installed in storm drains adjacent to the site entrance and grading limits.
- A temporary rock entrance must be installed and maintained if required.

*During construction:*

- Any sediment eroded or tracked into the street must be scraped at the end of the day and swept as required.
- Erosion control must be maintained until groundcover is reestablished on the site.
- An escrow deposit may be required at the time a Certificate of Occupancy is issued if groundcover has not been established or tree replacement is required.

